

BLAZOL TITANIUM SYNTH 4T (API SM)

➤ **Description**

TITANIUM Synth 4T (API SM) is specially formulated with synthetic technology to provide outstanding, durable protection under severe high-torque, high-stress conditions. Under these conditions, motorcycle engines operate at extremely high temperatures, causing viscosity and thermal breakdown of motor oil. IT is engineered to provide maximum protection against viscosity and thermal breakdown. Titanium 4-T is the way to go for your 4-stroke motorcycle needs. It is specially Blended with PBM (Performance Booster molecules) technology which gives Technological Advantage for highest level of Engine.

➤ **Applications**

Recommended for new generation 4-stroke gasoline engines in high performance motorcycles of all leading global manufacturers like Hero Moto Corp, Honda, TVS, Bajaj, Yamaha, Suzuki, Kawasaki, Mahindra, Royal Enfield and all other makes.

➤ **Performance Standards**

- API SM
- JASO MA2

➤ **Product Features & Benefits**

- Extended drain interval up to 10,000 km.
- PBM Technology ensures Performance, Power & Protection for Bike.
- Specially selected base oil and additives provide excellent protection for engine, gears and wet clutch.
- Optimizes frictional properties, eliminates wet clutch slippage to provide increased power.
- Aids faster heat dissipation to give longer engine life.
- Ensures excellent wear protection.
- Lower clutch slippage.& Provides better fuel economy.



➤ **TECHNICAL SPECIFICATIONS** : *TITANIUM SYNTH 4T (20W40)*

PROPERTIES	ASTM TEST METHOD	TYPICAL VALUES
Appearance	Visual	Clear & Bright
Kinematic Viscosity @ 100°C, cSt	D445	14-15
Viscosity Index	D2270	135
Kinematic Viscosity @ 40°C, cSt	D445	103-113
Flash Point, °C, min	D92	235
Pour Point OC, max	D97	(-) 21
TBN, mg. KOH/gm.	D2896	6-8

The above details are typical results of normal production and variations in these characteristics may occur. The information contained herein is subject to change without notification. All recommendations and suggestions are without guarantee and the manufacturers do not accept liability for any loss or damage, however arising, which results directly from the use of such information, nor do we offer any warranty.

➤ **STORAGE**

Store the products indoors and avoid direct sunlight or heat. Please keep the container in closed condition always.

➤ **ENVIRONMENT, HEALTH AND SAFETY**

- Do not dispose the used oil to soil, drains and water. Dispose the used oil through authorized collection point.
- This product is unlikely to present any safety & health hazard when properly used in the recommended application.
- Avoid contact with skin and eyes. After skin contact, wash with water and soap.